PROTERRA

Easy to Install. Easy to Service. Easy to Sell.

THE RHEEM® PROTERRA® HYBRID ELECTRIC WATER HEATER

REATE

⁰ F G O ⁰



PROFESSIONAL PRESTIGE® ProTerra Hybrid Electric Water Heater 40-, 50-, 65- and 80-Gallon Capacities



The new degree of comfort."

An Intelligent Replacement Solution

Easy to install, service and sell, the new Rheem[®] ProTerra[®] Hybrid Electric Water Heater is the smartest and most efficient water heater available. It delivers impressive savings for homeowners—right away with a \$300 federal tax credit and local utility rebates,¹ and ongoing with up to \$491 energy cost savings each year.² Plus, it's full of smart features your customers will love—from built-in WiFi to our exclusive LeakGuard[™] leak detection and prevention.³



¹Rebates vary by region. ²Based on estimated annual operating cost savings of the 40, 50, 65 and 80-gallon Hybrid Electric models compared to a standard electric water heater of like capacity with minimum efficiency. ³Leak detection and prevention built in for ProTerra Hybrid with LeakGuard only.



ProTerra Makes It **Easy**

Feel confident selling ProTerra[®] to homeowners while also enjoying hassle-free installation, replacement and service. Build reliable, life-long relationships by giving your clients the peace of mind they deserve.



PERFECT FOR REPLACEMENT

Easy replacement with the same dimensions as a standard electric water heater and one-button startup



FITS MORE APPLICATIONS

With zero clearance requirement, the ProTerra Hybrid Electric is a great option for homes with less space, even in closets



BUILT-IN PREMIUM FEATURES

Save yourself time with built-in leak detection, automatic water shut-off valve and WiFi control^{1, 3}



BEST-IN-CLASS WARRANTY

Deliver peace-of-mind with 10-year limited tank and parts warranty $^{2} \ensuremath{\mathsf{P}}$



CONVENIENT DESIGN

All serviceable parts and condensate line are on the front of the unit, making service and earthquake strap installs easy



ADVANCED DIAGNOSTICS

View detailed alerts and alarm codes while at the water heater via the Rheem[®] Contractor App to expedite service²

SELF-CLEANING

Reduces sediment buildup to prolong tank life and maintain the water heater's efficiency and tank capacity

¹WiFi broadband connection and Rheem Contractor App required; connection between water heater and app dependent on external factors beyond Rheem's control. ²See residential warranty certificate for complete information or view warranty details at RheemWarranties.com. ³Leak detection and prevention built in for ProTerra Hybrid with LeakGuard only.

Easy to Install, Easy to Service, Easy to Sell



VALVE QUICK-RELEASE

If the actuator communication goes bad between the control and valve, you can replace it without touching the plumbing for simple, faster service



LEAK SENSOR CHANNEL

Leak sensor replacement is easy by opening the bottom element cover and snaking the new leak sensor down the tube-360° protection, all from the front of the tank

PRØTERRA

How it Works



Up to \$4,910 in Energy Cost Savings

The Rheem[®] ProTerra[®] Hybrid Electric Water Heater is the most efficient water heater on the market, helping homeowners save up to \$491 per year in energy costs-that's almost \$5,000 over 10 years!

TIME-OF-USE / DEMAND RESPONSE SCHEDULING

Homeowners can save up to \$400 over the life of the heater with time-ofuse energy rate scheduling and demand response program participation³

ENERGY SAVING SCHEDULING

Program the water heater to match demand throughout the day—higher production during high use times, like the morning, and lower production for energy savings when no one is home³

SET VACATION OR AWAY MODE

Reduce water heating costs while homeowners are away for a week or just for the day-it's easy to set from a phone from anywhere through the free Rheem EcoNet app⁴

QUICK PAYBACK

Upgrading pays for itself in 2 years or less² thanks to features that deliver long-

PAYBACK OF **OR LESS**

	RHEEM PROTERRA HYBRID ELECTRIC WITH LEAKGUARD	(STANDARD ELECTRIC	STANDARD GAS		
SIZE	ProTerra Annual Operating Cost	Electric Annual Operating Cost	Natural Gas Annual Operating Cost		
40 Gallon	\$104	\$419	\$208		
50 Gallon	\$104	\$419	\$293		
80 Gallon	\$149	\$640	N/A		
5 Operating Modes	\checkmark	Х	Х		
10-Year Warranty	\checkmark	6-Year	6-Year		
Water Leak Detection	\checkmark	Х	Х		
Auto Water Shut-off	\checkmark	Х	Х		
Energy Saving Scheduling	\checkmark	Х	Х		
Local Utility Rebates	\checkmark	Х	Х		
Federal Tax Credit	\checkmark	Х	X		

¹Based on estimated annual operating cost savings of the 40, 50, 65 and 80-gallon hybrid electric models compared to a standard electric water heater of like capacity with minimum efficiency. 2 Based on the comparison of a 50-gallon Rheem Hybrid Electric model to a standard electric water heater of like capacity with minimum efficiency.; Payback based on average retail cost difference less available rebates and annual operating costs savings. 3 Based on internal testing and the SMUD cost for peak / off peak pricing and season difference. 4WiFi broadband connection and Rheem EcoNet App required; connection between water heater and app dependent on external factors beyond Rheem's control. ⁶Based on estimated annual operating costs certified by the Federal Trade Commission.



Did you know?

The Rheem[®] ProTerra[®] Hybrid Electric Water Heater uses less energy to operate than a classic 100 Watt incandescent light bulb¹





Sustainability that works

Homeowners don't have to choose between sustainability goals and enjoying hot water



HEAT PUMP TECHNOLOGY

The ProTerra Hybrid Electric pulls heat energy from the air around it to heat water, making it the most efficient water heater on the market² with up to a 4.0 UEF

CARBON FOOTPRINT REDUCTION

The ProTerra uses 75% less energy³ than a standard electric water heater to help minimize your impact on the environment



LEAKGUARD[™] AUTO WATER SHUT-OFF VALVE

The all-inclusive leak prevention system that limits leaks to no more than 20 oz. of water⁴ to protect homes from damage

¹Based on comparison of the annual operating cost of a 40- and 50- gallon hybrid model and single 100 watt incandescent light bulb with an annual operating cost of \$132. ²Based on review of available residential water heaters. ³Based on comparison of 50-gallon Rheem[®] Hybrid and standard electric tank with minimum efficiency. ⁴Source: Rheem leak-sensing data; testing under a vacuum lock using 50 gallon tank, no expansion tank, average tank pressure of 40 psi, assuming no additional faucets are opened.



The smartest water heater on the market





BUILT-IN ECONET® WIFI TECHNOLOGY


Homeowner can adjust water temperature, track energy usage and set vacation mode—all from a mobile device¹

NOTE: EcoNet App subject to change without notice.



LEAKSENSE[™] LEAK DETECTION

Alerts the homeowner about a leak with built-in leak detection system that detects any leak—large or small, internal or external—in as little as 15 seconds²



ENERGY USAGE TRACKING

Homeowners can view weekly, monthly and yearly energy usage reports from their phone to help you better manage energy consumption



OPERATING MODES AND SCHEDULING


Schedule set point adjustments and choose from five operation modes from the EcoNet App: Energy Saver, Heat Pump, Electric, High Demand, Vacation

"WiFi broadband connection and Ecoivet App required; notifications are dependent on external factors beyond Rheem's control. EcoNet is a registered trademark of Rheem® Manufacturing company. ²Water leaks from the heater only, as tested across scenarios including a minimum of 5.5mL/min volume leak rate, using most common installation scenarios. Applies to ProTerra® Hybrid with LeakGuard. Source: Rheem Leak-Sensing Data: Time starts when leak begins and ends when sensor alarm is triggered. ³Applies to ProTerra Hybrid with LeakGuard models only. Source: Rheem leak-sensing data; testing under a vacuum lock using 50 gallon tank, no expansion tank, average tank pressure of 40 psi, assuming no additional faucets are opened.

P R Ø T E R R A°

Rheem[®] ProTerra[®] Hybrid Specifications





DESCRIPTION ENERGY INFO					FEATURES			TANK DIMENSIONS							
NORMAL Gallon Capacity	RATED Gallon Capacity	MODEL NUMBER	ELECTRIC Breaker Size	UNIFORM ENERGY FACTOR (UEF)	EST. YEARLY ENERGY COST	ELEMENT WATTAGE	COMPRESSOR BTU	FIRST HOUR RATING (GALLONS)	RECOVERY IN G.P.H. 90° F RISE	HEIGHT (A)	DIAMETER (B)	HEIGHT TO CONDENSATE CONNECTION (C)	HEIGHT TO COLD INLET & DRAIN (D)	HEIGHT TO HOT OUTLET AND T&P (E)	APPROX. SHIP WT. (LBS)
ProTerra [®] with LeakGuard [™] - 30 AMPS															
40	36	PR0PH40 T2 RH375-S0	30	3.75	\$104	4,500	4200	60	26	62-5/16"	20-1/4"	47"	3-5/8"	39-5/8"	174
50	45	PR0PH50 T2 RH375-S0	30	3.75	\$104	4,500	4200	67	27	61-3/4"	22-1/4"	47"	3-5/8"	39-5/8"	218
65	59	PR0PH65 T2 RH375-S0	30	3.85	\$155	4,500	4200	75	27	64-3/16"	24-1/4"	49"	3-7/8"	42-3/8"	262
80	72	PR0PH80 T2 RH375-S0	30	4.00	\$149	4,500	4200	87	27	74-3/16"	24-1/4"	59"	3-7/8"	42-3/8"	281
ProTerra [®] without LeakGuard [™] - 30 AMPS															
40	36	PROPH40 T2 RH375-30	30	3.75	\$104	4,500	4200	60	27	62-5/16"	20-1/4"	47"	3-5/8"	39-5/8"	174
50	45	PROPH50 T2 RH375-30	30	3.75	\$104	4,500	4200	67	27	61-3/4"	22-1/4"	47"	3-5/8"	39-5/8"	218
65	59	PROPH65 T2 RH375-30	30	3.85	\$155	4,500	4200	75	27	64-3/16"	24-1/4"	49"	3-7/8"	42-3/8"	262
80	72	PROPH80 T2 RH375-30	30	4.00	\$149	4,500	4200	87	27	74-3/16"	24-1/4"	59"	3-7/8"	42-3/8"	281
ProTerra [®] without LeakGuard [™] - 15 AMPS															
40	36	PROPH40 T2 RH375-15	15	3.45	\$78	2,250	4200	46	16	62-5/16"	20-1/4"	47"	3-5/8"	39-5/8"	174
50	45	PR0PH50 T2 RH375-15	15	3.75	\$104	2,250	4200	54	16	61-3/4"	22-1/4"	47"	3-5/8"	39-5/8"	218
65	59	PR0PH65 T2 RH375-15	15	3.55	\$110	2,250	4200	54	16	64-3/16"	24-1/4"	49"	3-7/8"	42-3/8"	262
80	72	PROPH80 T2 RH375-15	15	3.70	\$105	2,250	4200	67	16	74-3/16"	24-1/4"	59"	3-7/8"	42-3/8"	281

Estimated energy cost on a national average electricity cost of \$0.12/kWh. Uniform Energy Factor and rated gallon capacity based on Department of Energy (DOE) requirements. All units have integrated WiFi control board.



Visit us online at **Rheem.com/Hybrid** or see your local distributor.

Contact Us

Customer Service, Warranty, Parts 800.621.5622

Plumbing Support Team 866.339.2388

EcoNet® Technical Support 800.255.2388

Technical Service 800.HEATER3 (800.432.8373)

Technical Service for Hybrid Water Heaters 800.995.0982

In keeping with its policy of continuous progress & program improvement, Rheem reserves the right to make changes without notice.